




MOLOSSO

TECHNICAL CHARACTERISTICS



- Designed for laying tiles 60x60 cm (23 5/8" x 23 5/8") of 20 mm (3/4") thickness in mud bed, using the vibration method.
- Sturdy structure and 0,9 HP - 0,66 kW motor; net weight: 85 Kg (187 lbs).
- Five vibration intensities.
- Equipped with 36 rollers (9 rows of 4 rollers each) Ø 55 mm (2").

- Telescopic handle.
- The high vibration frequency enables perfect levelling of the tiles and ensures the full bond of the mud to the tile.
- Steel roller holder.

MODEL SPECIFICATIONS

Part No.					
350R9 UE	8024648093820	230 V 50/60 Hz	Single-phase	0,9 HP / 0,66 kW	2800 / 3360
350R9 US	8024648094094	110 V 60 Hz		0,9 HP / 0,66 kW	3360
350R9 GB	8024648096029	110 V 50 Hz		0,9 HP / 0,66 kW	2800

DIMENSIONS AND WEIGHT

Part No.				
MOLOSSO	1	85 Kg / 187.4 lbs	90x72x h 63 cm	35 1/2" x 28 1/8" x h 25" / 99 Kg / 218.26 lbs

VIBRATORS AND ELECTRICAL BARS





MASTINO




TERRANOVA



MASTINO TECHNICAL CHARACTERISTICS



TERRANOVA TECHNICAL CHARACTERISTICS



PACKAGE



- For laying tiles in mud bed, using the vibration method.
- The high vibration frequency (10000 rounds/min.) enables perfect levelling of the tiles and ensures the full bond of the mud to the tile.
- Three vibration speeds:
MASTINO: 5000/7000/10000 rounds/min;
TERRANOVA: 4000/6500/8600 rounds/min.

- Telescopic handle.
- Roller: Terranova with 44 rollers (11 rows of 4 rollers each) Ø 40 mm (1 5/8"); Mastino with 36 rollers (9 rows of 4 rollers each) Ø 40 mm (1 5/8").
- Steel roller holder.
- Supplied with: transformer from 230/110 Volt to 42 Volt.

MASTINO MODEL SPECIFICATIONS

Part No.							
349	8024648004314	230/42 V 50/60 Hz	Single-phase	250 W	10000/12000	49x56 cm 19 1/4"x22"	•
349 US	8024648089670	110/42 V 60 Hz					•
349 GB	8024648009425	110/42 V 50 Hz					•

MASTINO DIMENSIONS AND WEIGHT

Part No.					
MASTINO	1	56,6 Kg	124.8 lbs	60x60xh 34 cm + 100x50xh 12 cm	23"x23"xh 13 1/2" + 40"x20"xh 5"
					59 Kg 130.1 lbs

TERRANOVA MODEL SPECIFICATIONS

Part No.							
105	8024648004321	230/42 V 50/60 Hz	Single-phase	200 W	8600/10300	47x52 cm 18 1/2"x20 1/2"	•
105USA	8024648009456	110/42 V 50/60 Hz					•

TERRANOVA DIMENSIONS AND WEIGHT

Part No.					
TERRANOVA	1	47 Kg	103.6 lbs	80x50xh 30 cm	31 1/2"x20"xh 11 7/8"
					49 Kg 108 lbs





321

TECHNICAL CHARACTERISTICS



41x21 cm

PACKAGE



CARTON BOX

- Designed to vibrate surface of large format tiles and help any air pocket escaping from underneath the slab, ensuring a full bond to the adhesive.
- Compact design, lightweight (6,7 Kg - 14.8 lbs) and easy to handle, it comes with 3 ergonomic handles which allow a comfortable and secure grip during both usages on floors and walls.
- The constant and uniformly applied vibration does not damage the slab even in the most risky situations (for instance, when large holes and/or cuts have been previously performed on the slab).

- High vibration frequency (motor Rpm: 3000 at 50 Hz; 3600 at 60 Hz).
- Vibration level can be adjusted via mechanical removal of eccentrics.
- Single speed.
- Stain-free-rubber plate designed to prevent stain and damage to the slab. Replaceable rectangular plate but with triangular point to easily reach the corners.
- Motor power: 25 Watt.

MODEL SPECIFICATIONS

Part No.								
321 UE2	8050532000391	230 V 50/60 Hz	Single-phase	25 W	3000 / 3600	41x21 cm 16"x8 1/4"	15	1
321 US2	8050532000407	110 V 60 Hz			3600		-	-
321 GB2	8050532000414	110 V 50 Hz			3000		-	-

DIMENSIONS AND WEIGHT

Part No.						
VOLPINO	1	6,7 Kg	14.8 lbs	58x30xh 25cm	23"x12"xh 10"	7,2 Kg 15.9 lbs

ACCESSORIES


Part No.			Description					
321LA03A	8024648099815	1	Stain-free rubber plate (spare part)	1,4 Kg	3.1 lbs	41x21 cm 16"x8 1/4"	2,3 Kg	5.1 lbs



VIBRATORS AND ELECTRICAL BARS



LUPETTO



200LU01A
(accessory Lupetto)

TECHNICAL CHARACTERISTICS



150 W



25x45 cm



SPEED SELECTOR

OPTIONAL



33 ROLLERS

PACKAGE



CARTON BOX

- For laying tiles in mud bed, using the vibration method.
- The high vibration frequency (8200 rounds/min.) enables the perfect levelling of the tiles and ensures the full bond of the mud to the tile.
- Ergonomic handle.

- Two vibration speeds: 6000/8200 rounds/min.
- Rectangular interchangeable plastic plate.
- Supplied with: transformer from 230/110 Volt to 42 Vol.

MODEL SPECIFICATIONS

Part No.							
116CC EU	8024648084668	230/42 V 50/60 Hz	Single-phase	90 W	8200	-	•
116CC US	8024648084675	110/42 V 60 Hz			9800		•
116CC GB	8024648086709	110/42 V 50 Hz			8200		•

DIMENSIONS AND WEIGHT


Part No.				
LUPETTO	1	11,2 Kg 24.6 lbs	60x30x25 cm 23 5/8"x11 7/8"x10"	11,8 Kg 26 lbs

ACCESSORIES

Part No.			Description			
200LU01A	8024648014467	1	Complete rollers kit (spare part)	13 Kg 28.6 lbs	25x45 cm 10"x17 3/4"	14 Kg 30.8 lbs



SPRINTBETON



SPRINTBETON

OPTIONAL



VIBRATING SURFACE

TECHNICAL CHARACTERISTICS



150 W



SPEED SELECTOR

PACKAGE



CARTON BOX

- For screeding mortar base and vibrating of tiles into mud beds.
- The screed bar can be replaced with an optional roller assembly to vibrate tiles into the mud bed.
- Low voltage motor assembly: 42 Volt.
- Supplied with: two aluminum bars 180 cm and 210 cm (70 7/8" and 82 5/8"), two steel shims 200 cm (78 3/4"), single mortarspreader 50 cm long (20"), transformer from 230/110 Volt to 42 Volt.

MODEL SPECIFICATIONS

Part No.	Barcode	Box	Motor	Phase	Power	Speed	Bar	Weight	Dimensions	Weight
104CC EU	8024648084521	1	230/42 V 50/60 Hz	Single-phase	90 W	8200	180 - 210 cm 70 7/8" - 82 5/8"	25,6 Kg 56.4 lbs	62x42xh 36 cm + 210x10xh 10 cm 24"x16"xh 14" + 82"x4"xh 4"	27,7 Kg 61.1 lbs
104CC US	8024648084613	1	110/42 V 50/60 Hz			9800				

ALUMINUM BARS

Part No.	Barcode	Box	Bar	Dimensions	Weight
146ST01D	8024648013774	1	180 cm 70 7/8"	180x8xh 3 cm 70 7/8"x3 1/8"xh 1 3/16"	2,3 Kg 5.1 lbs
146ST02D	8024648013781	1	210 cm 82 5/8"	210x8xh 3 cm 82 5/8"x3 1/8"xh 1 3/16"	2,7 Kg 6 lbs
146ST03D	8024648013798	1	250 cm 98 1/2"	250x8xh 3 cm 98 1/2"x3 1/8"xh 1 3/16"	3,2 Kg 7.1 lbs
146ST04D	8024648013804	1	300 cm 118"	300x8xh 5 cm 118"x3 1/8"xh 1 3/16"	3,8 Kg 8.4 lbs

ACCESSORIES

Part No.	Barcode	Box	Description	Dimensions	Weight
145	8024648004840	1	Steel shim 200 cm (78 3/4")	200x8xh 3 cm 78 3/4"x3 1/8"xh 1 3/16"	1 Kg 2.2 lbs
211	8024648013767	1	Complete vibrating plate 30x45 cm (11 7/8"x17 3/4")	58x30xh 25 cm 23"x11 7/8"xh 10"	5,9 Kg 13 lbs



VIBRATORS AND ELECTRICAL BARS